

SERES

<https://green-mobility.dj>

Email: contact@green-mobility.dj

SERES

PREMIUM SPORT E-SUV
SERES 5



The model information (exterior and color) may differ from the final production model. Please refer to the actual sales model.

DESIGN STYLE: "NATURAL AESTHETICS OF LIFE".



Σ Front Face



Willow-inspired Window



Belt Line Mimics Dolphin's Leaping

0-100km/h ACCELERATION WITH ONLY 3.7 SECONDS



SEP200 ACIM
210kW
520N · m



SEP201 PMSM
220kW
420N · m



Dual Ball Joint Front Double-Wishbone Front Suspension
Anti-Roll Performance



Multi-Link Trapezoidal Arm Type
Rear Independent Suspension
Improve Stability



HIGH PERFORMANCE SPORTS CHASSIS
Aluminium Alloy Chassis



SMART COCKPIT



8 EXTERIOR COLORS





5 INTERIOR STYLES

SERIES 5 EV SPECIFICATION

Version type	Standard 2WD	Premium 4WD
Basic Parameters		
Body Type	Integrated Body Structure	
LxWxH (mm)	4710x1930x1620	
Wheelbase (mm)	2875	
Front/Rear Tread (mm)	1655/1650	
Min. Ground Clearance (mm)	160	
Seats	5	
Front Trunk Volume (L)	67	
Trunk Storage Volume (L)	367-723	
Curb Weight (kg)	2220	2360
Max. Speed (km/h)	≥180	≥200
0-100km/h Acceleration time (s)	6.8	4.3
Motor/Battery		
Electric Motor	R: PMSM	F: ACIM, R: PMSM
Max. Motor Power (kW)	220	430
Max. Motor Torque (N.m)	420	940
Power Battery	Lithium Iron Phosphate	
Battery Capacity(kWh)	80	80
Range(km)WLTP	500	483
Fast Charge Time (30%-80%) (Min)	45	45
Slow Charge Tim (30%-80%) (H)	4.5	4.5
Chassis		
Driving Form	Single-Motor 2WD	Dual-Motor 4WD
Front Suspension Type	Double-Wishbone Front Independent Suspension With Four-Ball Joint	
Rear Suspension Type	Multi-Link Trapezoidal Arm Rear Independent Suspension	
Brake Type	Front / Rear Vent Disc	
Parking Brake Type	Electronic Parking	
Steering System	DP-EPS	
Tyre Specification	● 255/45 R20	
Aluminum Wheel	●	
Safety		
Unfastened Reminder of Safety Belt	● (Sound + Vision)	
Safety Air Bag	6	
TPMS	●	
Parking Radar	Front ●/Rear ●	
ESP/ESC	●	
EBA/BAS/BA	●	
ASR/TCS/TEC	●	
HAC	●	
Auto-hold	●	
HDC	●	
360 ° Panoramic Parking	●	
EDR	●	
DAB	●	
E-CALL	●	
External Configuration		
Panoramic Canopy	●	
Automatic Wiper	●	

SERIES 5 EVR SPECIFICATION

Version type	Standard 2WD	Premium 4WD
Basic Parameters		
E-CALL	○	
Body Type	Integrated Body Structure	
LxWxH (mm)	4710x1930x1620	
Wheelbase (mm)	2875	
Front/Rear Tread (mm)	1653/1650	
Min. Ground Clearance (mm)	160	
Seats	5	
Trunk Storage Volume (L)	367-723	
Curb Weight (kg)	2220	2360
Max. Speed (km/h)	≥180	≥200
0-100km/h Acceleration time (s)	6.8	4.3
Motor/Battery		
Electric Motor	R: PMSM	F: ACIM, R: PMSM
Max. Motor Power (kW)	220	430
Max. Motor Torque (N.m)	420	940
Power Battery	Ternary Lithium Battery	
Battery Capacity(kWh)	40	40
Range(km)WLTC	180	170
Comprehensive Range(km)WLTC	1104	1010
Fast Charge Time (30%-80%) (Min)	24	24
Slow Charge Tim (30%-80%) (H)	2.3	2.3
Chassis		
Driving Form	Single-Motor 2WD	Dual-Motor 4WD
Front Suspension Type	Double-Wishbone Front Independent Suspension With Four-Ball Joint	
Rear Suspension Type	Multi-Link Trapezoidal Arm Rear Independent Suspension	
Brake Type	Front / Rear Vent Disc	
Parking Brake Type	Electronic Parking	
Steering System	DP-EPS	
Tyre Specification	● 255/45 R20	
Aluminum Wheel	●	
Safety		
Unfastened Reminder of Safety Belt	● (Sound + Vision)	
Safety Air Bag	6	
TPMS	●	
Parking Radar	Front ●/Rear ●	
ESP/ESC	●	
EBA/BAS/BA	●	
ASR/TCS/TEC	●	
HAC	●	
Auto-hold	●	
HDC	●	
360 ° Panoramic Parking	●	
EDR	●	
DAB	●	
E-CALL	● (Chinese, English, German, French, Spanish)	
External Configuration		
Panoramic Canopy	● (Chinese, English, German, French, Spanish)	
Automatic Wiper	●	

Note: ● Means Available, — Means None, ○ Means Optional.

Note: ● Means Available, — Means None, ○ Means Optional.

18 Driving Assistance Functions



**GREEN MOBILITY
DISTRIBUTIONS**

